



# ArcelorMittal

## Stock list

<b>Hot rolled Material</b>	1,50 – 4,00 mm in all current widths	
<b>Cold rolled Material</b>	0,40 – 2,99 mm in all current widths	
<b>Sendzimir galvanised material</b>	0,40 x 3,00 mm in all current widths	
<b>Aluzink</b>	0,75 x 1.000 mm 0,75 x 1.250 mm 1,00 x 1.250 mm 1,00 x 1.500 mm 1,50 x 1.250 mm 1,50 x 1.500 mm 2,00 x 1.250 mm 2,00 x 1.500 mm	AZ 185 AZ 185 AZ 185 AZ 185 AZ 185 AZ 185 AZ 185 AZ 185

### Plastic-coated steel

Basic material: Sendzimir galvanised S 250GD + Z (Fe E 250 G) suitable for profiles and edges according to characteristic point 093. Coils, slit strips and flat sheets up to 8,000 mm length.

Dimensions	Coating	Colour
0,63 x 1.250 mm	25 µm, AC/Pol. with protective layer	RAL 9002 RAL 9006
0,75 x 1.000 mm	25 µm, AC/Pol. with protective layer	RAL 9002 RAL 9006
0,75 x 1.250 mm	Primer (particularly suited to retrospective coating)	
0,75 x 1.250 mm	15 µm, AC/Pol. without protective layer	RAL 9002
0,75 x 1.250 mm	25 µm, AC/Pol. without protective layer	RAL 9002 RAL 9010



# ArcelorMittal

Dimensions	Coating	Colour
0,75 x 1.250 mm	25 µm, AC/Pol. with protective layer	RAL 1002 RAL 1013 RAL 1014 RAL 1015 RAL 1021 RAL 1023 RAL 2001 RAL 2002 RAL 3000 RAL 3002 RAL 3009 RAL 3020 RAL 5002 RAL 5005 RAL 5007 RAL 5009 RAL 5010 RAL 5011 RAL 5012 RAL 5013 RAL 5014 RAL 5015 RAL 5017 RAL 5021 RAL 6003 RAL 6005 RAL 6011 RAL 6018 RAL 6020 RAL 6029 RAL 7005 RAL 7015 RAL 7016 RAL 7022 RAL 7032 RAL 7035 RAL 7037 RAL 7042 RAL 8004 RAL 8011 RAL 8012 RAL 8014 RAL 8016 RAL 9001 RAL 9002 RAL 9005 RAL 9006 RAL 9007 RAL 9010 RAL 9016



# ArcelorMittal

Dimensions	Coating	Colour
0,75 x 1.500 mm	25 m $\mu$ , AC/Pol. with protective layer	RAL 9002 RAL 9006 RAL 9010
0,88 x 1.250 mm	25 m $\mu$ , AC/Pol. with protective layer	RAL 9002 RAL 9006
1,00 x 1.250 mm	Primer (particularly suited to retrospective coating)	
1,00 x 1.250 mm	DU 12 - 15 m $\mu$ , AC/Pol. without protective layer	RAL 9002
1,00 x 1.250 mm	25 m $\mu$ , AC/Pol. with/without protective layer	RAL 1015 RAL 3000 RAL 3009 RAL 3020 RAL 5009 RAL 5010 RAL 5012 RAL 6011 RAL 7016 RAL 7032 RAL 7035 RAL 8011 RAL 8012 RAL 9001 RAL 9002 RAL 9006 RAL 9007 RAL 9010
1,00 x 1.250 mm	PVDF with/without protective layer	RAL 9002
1,00 x 1.500 mm	DU 12 - 15 m $\mu$ , AC/Pol. without protective layer	RAL 9002
1,00 x 1.500 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002 RAL 9006 RAL 9010
1,50 x 1.000 mm	25 m $\mu$ , Ac/Pol. with protective layer	RAL 9002
1,50 x 1.250 mm	DU 12 - 15 m $\mu$ , Ac/Pol. without protective layer	RAL 9002
1,50 x 1.250 mm	25 m $\mu$ , Ac/Pol. without protective layer	RAL 9002
1,50 x 1.250 mm	25 m $\mu$ , Ac/Pol. with protective layer	RAL 9002 RAL 9006 RAL 9010
1,50 x 1.500 mm	DU 12 - 15 m $\mu$ , AC/Pol. without protective layer	RAL 9002
1,50 x 1.500 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002 RAL 9006 RAL 9010



# ArcelorMittal

Dimensions	Coating	Colour
2,00 x 750 mm	25 m $\mu$ , Ac/Pol. with protective layer	RAL 9002
2,00 x 1.250 mm	DU 12 -15 m $\mu$ , Ac/Pol. without protective layer	RAL 9002
2,00 x 1.250 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002 RAL 9006 RAL 9010
2,00 x 1.500 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002
3,00 x 750 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002 RAL 9010
3,00 x 900 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002
3,00 x 1.000 mm	25 m $\mu$ , Ac/Pol. with/without protective layer	RAL 9002 RAL 9010

In dimensions 0.63 / 0.75 / 1.00 x 1,250 mm, we can deliver every colour within 5 weeks in 5 t batches.  
**Naturally, other colours and dimensions can also be supplied quickly on request.**